




2010 helmets collection



passion is life









## Passion is life!

*It's with this emotion that I created Suomy! It embodies the extreme search for safety that considers homologation standards as the starting point - not the destination. For me, it's not enough to build the finest helmets in the world, but to extend far beyond the norm, the typical. This is why I have chosen to develop and use such proprietary technologies as Structurally Enhanced Composites, Dynamically Variable Resistant EPS liners, Alcantara anti-bacterial, anti-microbial liners. This Passion is developed from our Team-work with some of the very best racers in the world, assisting in the testing and developing of our helmets in extreme conditions on the tracks. It's found in our choice to use thermoformed visors that unsurpassed optical performance, are anti-scratch and anti-fog. It's found in our creation of titanium treated visors, our unprecedented attention to detail in our graphics. And to be the official supplier to such brands as Ducati, Honda, Yamaha, KTM, Prada, Aprilia and more... But this passion goes far beyond technology, the same technology that perhaps any Japanese manufacturer could achieve. What is difficult to achieve, is the fusion of design, style and comfort... it's the ability to transform a highly reliable safety "accessory" into a "life style" that makes you able to taste the typical Italian life style, the "passion of life" of Rome, Florence, Venice...*

*Umberto Monti  
President  
Suomy SpA*



# 2010 helmets

	<b>FACTORY</b>	06
	<b>TECHNICAL FEATURES</b>	08
	<b>EXTREME</b>	HELMETS 16
	<b>SPEC 1R</b>	HELMETS 30
	<b>VANDAL</b>	HELMETS 36
	<b>DEFENDER</b>	HELMETS 54
	<b>D2O</b>	HELMETS & SCS 58
	<b>TREK</b>	HELMETS 66
	<b>SPECTRE</b>	HELMETS 70
	<b>NOMAD</b>	HELMETS 74
	<b>JET LIGHT</b>	HELMETS 78
	<b>AUTO &amp; KARTING</b>	HELMETS 82
	<b>TECHNICAL INFO</b>	86
	<b>SPARE PARTS</b>	88

# SUOMY® maximum performance

## REMOVABLE INNER PADDINGS

Before removing the inner padding be sure that all the fixing devices (Snap Buttons or Velcro® Systems - see Owner's Manual) are completely unlocked: if these conditions are verified the internal padding can be very easily removed from the helmet.

If not so (strong force is needed to remove the part), stop operation to avoid damage to the inner lining and verify again if all fixing devices are completely unlocked.

After replacement make sure that the inner padding fits correctly inside the polystyrene liner and that all the fixing devices are correctly locked.

## INTERNAL LATERAL PADDING

If you are operating for the first time on cheek pads we strongly recommend to operate on only one of them at a time; in this way the opposite cheek pad (which has been correctly fitted in production) can be used as a reference to verify the correct positioning and adjustment of the refitted part.



Before removing the inner padding be sure that all the fixing devices (Fixing Mechanism, Snap Buttons or Velcro® Systems - see Owner's Manual) are completely unlocked: if these conditions are verified the internal padding can be very easily removed from the helmet.

After replacement always check that the assembly procedure has been performed properly by ensuring:

- that the cheek pad is securely fixed in position
- that the chinstrap moves freely and that it has not remained compressed under the cheek pad during the assembly procedure.

Efficiency of the retaining system is assured only if the cheek pad is correctly secured and the chinstrap is correctly positioned.

**When the installation operation is complete wear the helmet to check the retention system: if you are not able to efficiently tighten the retention system, do not use the helmet.**



## VALIDITY

Suomy guarantees exclusively the helmet and its components for a period of two years from the purchasing date as regards conformity defects.

Suomy undertakes to repair the defective product (or one of its parts) or to replace it (at Suomy S.p.A.'s discretion), with no extra charge for the parts and the labo.

The warranty does not cover the alterations of the painted surfaces resulting from natural wear and tear phenomena (effect of sunlight, vapours, detergents, crashes, scratches).

**The warranty does not cover**

(*the customer has changed the pre-*

*set original accessories*

*or even small changes to*

*the helmet prior to the immediate*

*use of the warranty terms*

*in case of any responsibil-*

*ity of Suomy's behalf.*

**The warranty is void when:**

*the helmet has been modified,*

*damaged, disassembled with*

*or parts have been replaced*

*by other parts.*

**The Warranty does not cover**  
**damages resulting from:**

- Incorrect use or non-compliant with the recommendations and requirements indicated in this manual;

- Ordinary wear of the product;

- Repairs made by the customers or third parties or by personnel not belonging to the Suomy S.p.A. Organization;

- Incorrect use of the product and/or use of the product in situations that do not comply with the purposes the product has been designed for or with the modalities indicated in this manual.

Please refer the Homologation list for items availability in the different countries

## HOMOLOGATION LIST

ECE 22-05	for European Countries
• BSI 6658 1985	for Great Britain
• SNELL M2000	for U.S.A.
• DOT	for U.S.A. & Canada
• JIS	for Japan
• QAS	for Australia / New Zealand
• INMETRO NBR7471	for Brasil

All Suomy products are constantly submitted to continuing improvement. Suomy S.p.A. therefore reserves the right to modify the product described in this catalogue without any prior warning.

The information, illustrations and descriptions in this catalogue may not under any circumstances be used as the basis for any claim against Suomy.

## HELMETS SHELL SIZES

XS	S	M	L	XL	XXL	XXXL
53/54	55/56	57/58	59/60	61/62	63/64	65/66
6-1/2'	6-3/4'	7'	7-1/4'	7-1/2'	7-3/4'	8'
6-5/8'	6-7/8'	7-1/8'	7-3/8'	7-5/8'	7-7/8'	8-1/8'



fiberglass shell



loris capirossi

• Fiberglass shell in FRP resin  
• Advanced Channelled EPS (ACE) shell  
• Removable and washable padding  
• Advanced Flat Racing face shield

• Advanced Flat Racing face shield with anti-fog system  
• Tear off lens with anti-fog system (MIST)

RETARDANT] and Safety Lock Visor System [SURLOCK]

- Face shield with Clear Opalescent Iridium finish (Antireflex) and Hydrophobic (Water repellent) coating (that allows water to easily roll off the shield) supplied as first equipment
- Optional face shields are available in the following versions as spare parts ([\*] ECE 22-05 certified; [2] suitable for use on track only):

Clear [\*], Antireflex Water Repellent [1], Mid Tint [2], Full Tint [2], Orange [2], Iridium [2], Iridium Mirror Blue [2], Iridium Mirror Chromed [2], Iridium Mirror Gold [2]


- Optional Flat Racing face shields with tear off buttons are available (suitable for use on track only) as spare parts. In the following versions: Rain (without tear off buttons); Clear, Mid Tint, Full Tint
- Tear off lenses available as spare part (only for

use with Flat Racing face shields)

• Advanced Channelled EPS (ACE) for better air flow internal distribution

• Triangulated Fit for optimum stability & fitting performance

• Removable and washable padding in Alcantara® (top quality fabric that offers highest level of softness, comfort and quality together with maximum moisture wicking, cooling and durability)



#### EXTREME CAIROSSI Replica KSSE0001

shown with standard  
ultra-tech rain repellent  
stainaflex shield

FACE SHIELDS shown in the pictures may differ from face shield supplied as standard first equipment; please refer to technical features for detailed characteristics of standard first equipment face shield.

- Removable and washable cheek pads in Top Quality Hypoallergenic lining with Suomy patented fitting device
- Customized inner liner: detachable inner paddings and cheek pads are available as spare parts in different thicknesses to customize helmet fit according to user head
- Oversized padding for increased neck protection
- Removable nose deflector

- Competition-style D-ring retention system, with strap fixing device (Suomy patented)
- Adjustable chin guard air intake
- Adjustable [on/off] upper air intake
- AIR-WEDGE Top Diffuser with AERO SPIKE side air exhausts
- Side air exhausts
- Superior state-of-the-art helmet graphics and clear surface finish

ECE 22-05	BSI 6658 1985	SNELL M2000	DOT	JIS	OAS	INMETRO NBR7471
--------------	---------------------	----------------	-----	-----	-----	--------------------

#### homologations

\* Please refer to the Homologation list for items availability in the different countries

#### size

XS to XXXL

fiberglass shell

# SUOMY® spec 1r



SPEC 1R BELLAGIO  
KSSPCS  
shown with standard shield



SPEC 1R DARK CITY  
KSSP0008  
shown with full tint shield



- Fiberglass shell in three sizes
- Structurally Enhanced Composite (S.E.C.) shell construction with sound-absorbing polymers
- Dynamically Variable Resistance Crash (D.V.R.C.) Zone designed into EPS liner
- Lightweight
- Thermoformed LEKHAN® polycarbonate face shields (first equipment and spare parts) with anti-scratch and state-of-the-art anti-fog coating (MIST RETAR-

DANT) and Safety Lock Visor System (SUR-LOCK)  
• Clear face shield supplied as first equipment  
• Optional face shield (ECE 22-05 certified) with Clear Opalescent Iridium finish (Antireflex) and hydrophobic (Water Repellent) coating (that allows water to easily roll off the shield) available as spare part  
• Optional face shields are available in the following versions as spare parts ([1] ECE 22-05 certified; [2]

suitable for use on track only):  
Clear [1], Antireflex Water Repellent [1], Mid Tint [2], Full Tint [2], Orange [2], Iridium [2], Iridium Mirror Blue [2], Iridium Mirror Chromed [2], Iridium Mirror Gold [2]  
• Optional Flat Racing face shields with tear off buttons are available (suitable for use on track only) as spare parts in the following versions:  
Rain (without tear off buttons), Clear, Mid Tint, Full

- Tint
- Tear off lenses available as spare part (only for use with Flat Racing face shields)
- Advanced Channelled EPS (ACE) for better airflow internal distribution
- Triangulated Fit for optimum stability & fitting performance
- Removable and washable padding in Top Quilt Hypoallergenic lining



SPEC 1R PLAIN WHITE  
KSSP01



SPEC 1R PLAIN BLACK  
KSSP02



SPEC 1R PLAIN SILVER  
KSSP04



SPEC 1R PLAIN ANTHRACITE  
KSSP03  
shown with standard shield

- Removable and washable cheek pads in Top Quality Hypoallergenic lining with Suomy patented fitting device
- Customized Inner Liner: detachable inner paddings and cheek pads are available as spare parts in different thicknesses to customize helmet fit according to user head
- Oversized padding for increased neck protection
- Removable nose deflector

- Competition-style D-ring retention system, with strap fixing device (Suomy patented)
- Adjustable chin guard air intake
- AIR-WEDGE Top Diffuser with AERO SPIKE air exhausts
- Side air exhausts
- Superior state-of-the-art helmet graphics and clear surface finish

ECE 22-05	BSI 6658 1985	SNELL M2000	DOT	JIS	QAS	INMETRO NBR7471
--------------	---------------------	----------------	-----	-----	-----	--------------------

### homologations

• Please refer to the Homologation list for items availability in the different countries

size

XS to XXXL

HELMETS	SHELL CONSTRUCTION	SIZES							HOMOLOGATIONS							
		FIBERGLASS		POLYCARBONATE OR THERMOPL. COMPO. RESIN		SHELL SIZES			CUSTOMER SIZES		ECE 22-05			SPORT AND TOURING MOTORCYCLING		
		XS	S	M	L	XL	XXL	XXXL	BSI 6658:1985 A	SINELL M2000	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
EXTREME	X	3	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
SPEC 1R	X	3	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
VANDAL	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
DEFENDER	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
D2O	X	1	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
TREK	X	1	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
SPECTRE	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
NOMAD	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
JET LIGHT	X	1	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
F1	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
K1	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]
SR SUOMY	X	2	XS	S	M	L	XL	XXL	ECE 22-05	BSI 6658:1985 A	DOT	JIS	QAS	SNELL SA 2005	SNELL K2005	FIA 8858/2002 [HANS DEVICE]

### FIRST EQUIPMENT

- homologated visor as for helmet standard
- homologated visor as for ECE 22 05 standard
- \* homologated kart racing BSI 6658:1985 A-FR

### SPARE PARTS

- homologated visor as for ECE 22 05 standard
- suitable only for use on track
- with tear-off buttons suitable only for use on track

## VISORS

#### **EXCLUSIVE TECHNOLOGY FEATURES**

## ORIGINAL VISORS

				CONSTRUCTION			
				SURFACE COATING			
▲	▲	▲	▲	thermoformed			
▲	▲	▲	▲	Injected			
○	○	○	○	antiscratch			
○	○	○	○	water rep., antifog			
○	○	○	○	clear			
■	■	■	■	water rep., antiref clear			
■	■	■	■	water rep., antiref tint			
■	■	■	■	multi shade blue			
■	■	■	■	multi shade brown			
				multi shade yellow			
				Mid Tint			
				Full Tint			
				Orange			
				Iridium			
				iridium mirror			
				Iridium blue			
				Iridium gold			
				Iridium Mirror Blue			
				Iridium Mirror Chromed			
				Iridium Mirror Gold			
				Rain Racing Visor			
				Clear			
				Mid Tint			
				Full Tint			
				SEC			
				DVR C			
				SUR-LOCK			
				ACE			
				TRIANGULATED FIT			
				ALCANTARA®			
				TOP HYPOALLERGENIC COMFORT LINING			
				AERO SPIKE			
				AIR WAVE			
				AIR WEDGE			
				REMOVABLE CHEEK PADS			
				REMOVABLE COMFORT LINER			
				CUSTOMIZED INNER LINER			
				VERIFLEX			
				D RING			
				QUICK RELEASE			

SPARE PARTS D20 INTERNAL VISORS

CONSTRUCTION: ▲ injected

SURFACE COATING: ○ antiscratch

ORIGINAL VISORS: ■ mid tint / full tint / iridium mirror chromed

	DESCRIPTION	EX + S1R CODE	VANDAL CODE
Original visors	Clear Light smoke Dark smoke Amber Iridium blue Iridium gold Iridium mirror chromed Iridium Clear Ultra-Tech Rain Repellant/Anti-Reflex Fumé Ultra-Tech Repellant/Anti-Reflex	KASPVT KASPVF KASPVs KASPG KASPB KASPV0 KASPVa KASPV1 KASPVc KASPVd	KAVLVT KAVLVF KAVLVS KAVLVB KAVLVO KAVLVA KAVLVI KAVLVC KAVLSC
Racing visor w/buttons	Solar cell Blue Brown Yellow Clear Light smoke Dark smoke	KASRVt KASRVf KASRVs	KAVRVT KAVRVF KAVRVS
Special Rain Racing Visor clear Anti-fog		KASPVr	KAVLVR
Racing Tear-Offs clear		KASSVT	KAVSVT
Pivot cover kit clear		KA10C0	
Black lower ventilation		KAFP02	KAVL01
Upper Ventilation			KASV02
Spoiler			
Clear central ventilation		KASV03	
Clear back ventilation			KAVL02
Full pivot kit		KA9906	KA9909
Screws kit (sets of 4 pcs)			
Suomy Logo			
Nose deflector (black)		KA8808	KAB808
Air chin curtain		CYSGCA	CYSGCB
Rain mask (black)		CYRMCA	CYRMCA
Inner comfort liner removable & washable	Size XS Size S Size M Size L Size XL Size XXL Size XXXL Neck protector	KASPIA KASPIB KASPIC KASPID KASPIE KASPIF KASPIG	KAVLI20 KAVLI15 KAVLI08 KAVLI10 KAVLI8A KAVLI06
Cheek pads	Size XS Size S Size M Size L Size XL Size XXL Size XXXL	KASPSA KASPSB KASPSF KASPS KASPSG KASPSD KASPS	KAVLG25 KAVLG20 KAVLG15 KAVLG51 KAVLG10 KAVLG05
Inner comfort liner removable & washable	SPECIAL VERSION Size XS Size S Size M Size L Size XL Size XXL Size XXXL Neck protector	ALCANTARA® only for EXTREME	
	KASEIA KASEIB KASEIC KASEID KASEIE KASEIF KASEIG		

DEFENDER	TREK	SPECTRE	NOMAD	JET LIGHT	D2O
CODE	CODE	CODE	CODE	CODE	CODE
KAFZVT	KABTVT		KANOVT	KALGVT	KAD2VT
KAFZVF	KABTVF		KANOVF	KALGVF	KAD2VF
KAFZVS	KABTVS		KANOVS	KALGVS	KAD2VS
KAFZVB			KANOVB		
KAFZVO			KANOVO		
KAFZVA					KAD2VA
KAFZVI	KABTVI		KANOVII	KALGVI	KAD2VI
KAFZVC					
	KABTVB				
	KABTVM				
	KABTVY				
KAFPVT					small internal visor light smoke KAD20VF0
KAFPVF					small internal visor dark smoke KAD20VS0
KAFPVS					s. int. vis. iridium mirr.chromed KAD20VA0
KAFSVT					
KA04C0	KABTCA				
KAFP01	KABTTB	KAPVM0			
	KABTTA	KAFP06	KASV02		
KADF0S00					
		KAFP05	KASV03		
		KAFP07			
KA9901	KA9902		KA9908	KA9910	KA99D2
		V2ATTT			
	KA8802				
CYSGCA					
CYRMCA					
	KABTI1	KAVEIA	KANOIA	KALGC1	KAD20I01
	KABTI2	KAVEIB	KANOIB	KALGC2	KAD20I02
	KABTI3	KAVEIC	KANOIC	KALGC3	KAD20I03
	KABTI3	KAVEID	KANOID	KALGC4	KAD20I04
	KABTI4	KAVEIE	KANOIE	KALGC5	KAD20I05
		KAVEIF	KANOIF		KAD20I06
				KALGC0	
KADF0L01	KABTIB	KAVESA	KANOSA		KAD20L01
KADF0L02	KABTIB	KAVESB	KANOSB		KAD20L02
KADF0L03	KABTIC	KAVESC	KANOSC		KAD20L03
KADF0L04	KABTIC	KAVESD	KANOSD		KAD20L04
KADF0L05	KABTID	KAVESE	KANOSE		KAD20L05
KADF0L06		KAVESF	KANOSF		KAD20L06
				COCO ALCANTARA® only for COCOO	
				KALGA1	
				KALGA2	
				KALGA3	
				KALGA4	
				KALGA5	
				KALGA0	



[www.suomy.com](http://www.suomy.com)



SUOMY S.p.A.  
Via al Gigante, 38 - 22044 Inverigo (CO)  
ITALY  
tel.: +39 031696300  
fax: +39 031696065  
e-mail: [info@suomy.com](mailto:info@suomy.com)

